

Claim Amendments

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims

Claim 1. (Currently Amended) A backprojection and/or projection screen, comprising:

at least a first substrate ~~joined to~~ having a scattering layer joined to a surface of the substrate thereby producing a subsurface effect, said layer being suitable for obtaining a viewing angle of less than or equal to 180° on both faces of the said layer.

Claim 2. (Currently Amended) The backprojection and/or projection screen according to Claim 1, wherein said subsurface effect produces a ~~the~~ resolution of the screen is ~~between~~ ranging from 5×10^3 and 1×10^5 dpi.

Claim 3. (Previously Presented) The backprojection and/or projection screen according to claim 1, wherein the scattering layer is deposited on one of the faces of the first substrate and a lamination interlayer is deposited on the opposite face of the said first substrate, the said interlayer in turn being joined to a second substrate.

Claim 4. (Previously Presented) The backprojection and/or projection screen according to Claim 3, wherein the second substrate is a tinted substrate.

Claim 5. (Previously Presented) The backprojection and/or projection screen according to Claim 1, wherein the scattering layer is deposited on one of the faces of a first substrate, the said first substrate being in turn joined to a second substrate so as to form a double-glazing unit

Claim 6. (Previously Presented) The backprojection and/or projection screen according to claim 1, wherein the first substrate and the scattering layer are joined to a third substrate, a peripheral bead separating that face of the first substrate which is coated with the said scattering layer from the third substrate.

Claim 7. (Previously Presented) The backprojection and/or projection screen according to claim 1, wherein the scattering layer consists of elements comprising particles and a binder, the binder allowing the particles to be mutually agglomerated.

Claim 8. (Currently Amended) The backprojection and/or projection screen according to Claim 7, ~~characterized in that~~ wherein the particles are metal or metal oxide particles.

Claim 9. (Currently Amended) The backprojection and/or projection screen according to Claim 1, wherein the particles are ~~chosen from~~ selected from the group consisting of silicon, ~~aluminium~~ aluminum, zirconium, titanium and cerium oxides, or a mixture of at least two of these oxides.

Claim 10. (Currently Amended) The backprojection and/or projection screen according to Claim 7, wherein the particle size ~~is between~~ ranges from 50 nm and 1 μm .

Claim 11. (Previously Presented) The backprojection and/or projection screen according to Claim 7, wherein the binder essentially consists of a glass frit or melting agent.

Claim 12. (Previously Presented) The backprojection and/or projection screen according to Claim 11, wherein the glass frit or melting agent is based on a mixture of zinc oxide, boron oxide, sodium oxide and silica.

Claim 13. (Currently Amended) The backprojection and/or projection screen according to claim 1, wherein the thickness of the scattering layer ~~is between~~ ranges from 0.5 and 5 μm .

Claim 14. (Previously Presented) The backprojection and/or projection screen according to claim 1, wherein at least one of the first, second and third substrates is a glass substrate.

Claim 15. (Previously Presented) The backprojection and/or projection screen according to claim 1, wherein at least one of the first, second and third substrates is a transparent substrate based on a polymer.

Claim 16. (Currently Amended) The backprojection and/or projection screen according to claim 1, wherein at least one of the first, second and third substrates ~~includes~~ possesses a coating having ~~another functionality~~ a function other than light scattering, ~~especially a coating with a low-emissivity function or an antistatic, antimisting, antifouling or antireflection function.~~

Claims 17-19. (Canceled)

Claim 20. (New) The backprojection and/or projection screen according to claim 16, wherein said coating has a low-emissivity function or an antistatic, antimisting, antifouling or antireflection function.

Claim 21. (New) The backprojection and/or projection screen according to claim 7, wherein the binder content of the light scattering layer ranges from 10 to 40 % by volume.

Claim 22. (New) A method of viewing images, comprising:

dividing a viewing area into two different viewing zones by employing the backprojection and/or projection screen according to claim 1 as a separating partition that defines a wall between the two different zones, it being possible for each to benefit from information broadcast on either side of the partition.

Claim 23. (New) A separating partition that defines a wall between two different viewing zones that comprises the backprojection and/or projection screen according to claim 1.

Claim 24. (New) A method for broadcasting information, comprising:

backprojecting and/or projecting broadcast information on either side of the separating partition that defines a wall between the two different viewing zones as claimed in Claim 22.